INDEX TO AUTHORS

A

ADELMAN, WILLIAM J., JR., and SENFT, JOSEPH P. Voltage clamp studies on the effect of internal cesium ion on sodium and potassium currents in the squid giant axon, 279

AKIYAMA, TOYOHIRO. See WATANABE, OBARA, and AKIYAMA, 839

—. See WATANABE, OBARA, AKIYAMA, and YUMOTO, 813

ALBRIGHT, C. D. See POST, ALBRIGHT, and DAYANI, 1201

ANDERSON, J. See BEILIN, EYEIONS, HATCHER, KNIGHT, MUNRO-FAURE, and ANDERSON, 75

—. See BEILIN, KNIGHT, MUNRO-FAURE, and ANDERSON, 61

ANDERSON, NELS C. See MOORE, BLAUSTEIN, ANDERSON, and NARAHASHI, 1401

—. See NARAHASHI, ANDERSON, and MOORE, 1413

ANDREOLI, THOMAS E., BANGHAM, J. ANDREW, and TOSTESON, DANIEL C. The formation and properties of thin lipid membranes from HK and LK sheep red cell lipids, 1729

—, TIEFFENBERG, M., and TOSTESON, DANIEL C. The effect of valinomycin on the ionic permeability of thin lipid membranes, 2527

—. See TOSTESON, COOK, ANDREOLI, and TIEFFENBERG, 2513

ARMSTRONG, CLAY M. Time course of TEA^+-induced anomalous rectification in squid giant axons, 491

ARMSTRONG, W. MCD., and ROTHSTEIN, ASER. Discrimination between alkali metal cations by yeast. II. Cation interactions in transport, 967

B

BAHLER, ALAN S., FALES, JOHN T., and ZIERLER, KENNETH L. The active state of mammalian skeletal muscle, 2239

BANGHAM, J. ANDREW. See ANDREOLI, BANGHAM, and TOSTESON, 1729

BÁRÁNY, MICHAEL. ATPase activity of myosin correlated with speed of muscle shortening, Suppl., p. 197

BARTON, T. C. See RICH, SHA'AFI, BARTON, and SOLOMON, 2391

BEILIN, L. J., EYEIONS, D., HATCHER, G., KNIGHT, G. J., MUNRO-FAURE, A. D., and ANDERSON, J. The entry of sodium into human red blood cells in vivo, 75

—, KNIGHT, G. J., MUNRO-FAURE, A. D., and ANDERSON, J. The measurement of sodium concentration in human red blood cells, 61

VON BÉKÉSY, GEORG. Mach band type lateral inhibition in different sense organs, 519

BENNETT, M. R. The effect of intracellular current pulses in smooth muscle cells of the guinea pig vas deferens at rest and during transmission, 2459

BENNETT, MICHAEL V. L., and GRUNDFEST, HARRY. Analysis of depolarizing and hyperpolarizing inactivation responses in gymnotid electroplaques, 141

BENTZEL, CARL J., and SOLOMON, A. K. Osmotic properties of mitochondria, 1547

BERTINCHAMPS, ALBERT. See FORADORI, BERTINCHAMPS, GULIBON, and COTZIAS, 2255

BIGGLEY, W. H., LLOYD, J. E., and SELIGER, H. H. The spectral distribution of firefly light. II, 1681

BINSTOCK, LEONARD. See LECAR, EHRENSTEIN, BINSTOCK, and TAYLOR, 1499

BLAUSTEIN, MORDECAI P. See MOORE, BLAUSTEIN, ANDERSON, and NARAHASHI, 1401

BLEI, MARGARITA. See VILLEGAS, VILLEGAS, BLEI, HERRERA, and VILLEGAS, 43

BOSSERT, WILLIAM H. See DIAMOND and BOSSERT, 2061

—. See SHA'AFI, RICH, SIDEL, BOSSERT, and SOLOMON, 1377

BOZLER, EMIL. Determination of extracellular space in amphibian muscle, 1459

BRANDT, PHILIP W. See FREEMAN, REUBEN, BRANDT, and GRUNDFEST, 423

BRINLEY, F. J., JR., and MULLINS, L. J. Sodium extrusion by internally dialyzed squid axons, 2303
—. See MULLINS and BRINLEY, 2333
BRYANT, S. H. See LIPICKY and BRYANT, 89
BURKE, PATRICIA V. See ZANKEL, BURKE, and DELBRÜCK, 1893

C

CAPUTO, CARLO. Caffeine- and potassium-induced contractures of frog striated muscle fibers in hypertonic solutions, 129
— and GIMENEZ, MAXIMO. Effects of external calcium deprivation on single muscle fibers, 2177
CARAFOLI, E. In vivo effect of uncoupling agents on the incorporation of calcium and strontium into mitochondria and other subcellular fractions of rat liver, 1849
CARPENTER, DAVID O. Temperature effects on pacemaker generation, membrane potential, and critical firing threshold in *Aplysia* neurons, 1469
CARVALHO, ARSELIO P., and LEO, BARBARA. Effects of ATP on the interaction of Ca^{++}, Mg^{++}, and K^{+} with fragmented sarcoplasmic reticulum isolated from rabbit skeletal muscle, 1327
CASS, ALBERT, and FINKELSTEIN, ALAN. Water permeability of thin lipid membranes, 1765
DEL CASTILLO, J., and MORALES, T. The electrical and mechanical activity of the esophageal cell of *Ascaris lumbricoides*, 603
— and —. Extracellular action potentials recorded from the interior of the giant esophageal cell of *Ascaris*, 631
CHAPMAN, ROBERT M., and LALL, ABNER B. Electroretinogram characteristics and the spectral mechanisms of the median ocellus and the lateral eye in *Limulus polyphemus*, 2267
CHEZ, RONALD A., PALMER, RICHARD R., SCHULTZ, STANLEY G., and CURRAN, PETER F. Effect of inhibitors on alanine transport in isolated rabbit ileum, 2357
—. See CURRAN, SCHULTZ, CHEZ, and FUISZ, 1261
—. See SCHULTZ, CURRAN, CHEZ, and FUISZ, 1241
CHIARANDINI, DANTE J., and STEFANI, ENRIQUE. Two different ionic mechanisms generating the spike "positive" afterpotential in molluscan neurons, 1183
CHRISTENSEN, HALVOR N. See INUI and CHRISTENSEN, 203
CLARKSON, T. W. The transport of salt and water across isolated rat ileum. Evidence for at least two distinct pathways, 695
COOK, JOHN S. Nonsolvent water in human erythrocytes, 1311
COOK, P. See TOSTESON, COOK, ANDREOLI, and TIEFFENBERG, 2513
COPE, FREEMAN W. NMR evidence for complexing of Na^{+} in muscle, kidney, and brain, and by actomyosin. The relation of cellular complexing of Na^{+} to water structure and to transport kinetics, 1353
COSTANTIN, L. L., and PODOLSKY, R. J. Depolarization of the internal membrane system in the activation of frog skeletal muscle, 1101
COTZIAS, GEORGE C. See FORADORI, BERTINCHAMPS, GULIBON, and COTZIAS, 2255
CSÁKY, T. Z., and HO, P. M. The effect of potassium on the intestinal transport of glucose, 113
CURRAN, PETER F., SCHULTZ, STANLEY G., CHEZ, RONALD A., and FUISZ, ROBERT E. Kinetic relations of the Na–amino acid interaction at the mucosal border of intestine, 1261
—. See CHEZ, PALMER, SCHULTZ, and CURRAN, 2357
—. See SCHULTZ, CURRAN, CHEZ, and FUISZ, 1241
CURTIS, B. A. Ca fluxes in single twitch muscle fibers, 255

D

DAYANI, K. See POST, ALBRIGHT, and DAYANI, 1201
DELBRÜCK, M. See ZANKEL, BURKE, and DELBRÜCK, 1893
DETTBARN, WOLF-D., and ROSENBERG, PHILIP. Effect of ions on the efflux of acetylcholine from peripheral nerve, 447
DEVOE, ROBERT D. A nonlinear model for transient responses from light-adapted wolf spider eyes, 1993
—. Nonlinear transient responses from light-adapted wolf spider eyes to changes in background illumination, 1961
DIAMOND, JARED M., and BOSSERT, WILLIAM H. Standing-gradient osmotic flow. A

mechanism for coupling of water and solute transport in epithelia, 2061
DIAMOND, JARED M. See MARTIN and DIAMOND, 295
—. See TORMEY and DIAMOND, 2031
DOANE, MARSHALL G. Fluorometric measurement of pyridine nucleotide reduction in the giant axon of the squid, 2603
DREIZEN, PAUL, GERSHMAN, LEWIS C., TROTTA, PAUL P., and STRACHER, ALFRED. Myosin. Subunits and their interactions, Suppl., p. 85
DUFFIELD, JAMES C. See JÖBSIS and DUFFIELD, 1009

E

ECKERT, ROGER. The wave form of luminescence emitted by *Noctiluca*, 2211
— and REYNOLDS, GEORGE T. The subcellular origin of bioluminescence in *Noctiluca miliaris*, 1429
EDWARDS, D. G. See JACKSON and EDWARDS, 225
EHRENSTEIN, GERALD. See LECAR, EHRENSTEIN, BINSTOCK, and TAYLOR, 1499
EISENBERG, ROBERT S. The equivalent circuit of single crab muscle fibers as determined by impedance measurements with intracellular electrodes, 1785
ELLIOTT, G. F. Variations of the contractile apparatus in smooth and striated muscles. X-ray diffraction studies at rest and in contraction, Suppl., p. 171
EPSTEIN, WOLFGANG. See WEIDEN, EPSTEIN, and SCHULTZ, 1641
EYEIONS, D. See BEILIN, EYEIONS, HATCHER, KNIGHT, MUNRO-FAURE, and ANDERSON, 75

F

FALES, JOHN T. See BAHLER, FALES, and ZIERLER, 2239
FATT, I. See TAKAHASHI, FATT, and GOLDSTICK, 317
FENN, WALLACE O., HENNING, MARCIA, and PHILPOTT, MARY. Oxygen poisoning in *Drosophila*, 1693
FERNANDEZ, H. L. See HUNEEUS and FERNANDEZ, 2407
FINKELSTEIN, ALAN. See CASS and FINKELSTEIN, 1765
FISCHMAN, DONALD A., and SWAN, ROY C. Nickel substitution for calcium in excitation-contraction coupling of skeletal muscle, 1709
FORADORI, A. C., BERTINCHAMPS, ALBERT, GULIBON, JANE M., and COTZIAS, GEORGE C. The discrimination between magnesium and manganese by serum proteins, 2255
FOULKES, E. C. The action of pitressin on solute permeability of the rabbit nephron in vivo, 1
FRANK, ROBERT N., and GOLDSMITH, TIMOTHY H. Effects of cardiac glycosides on electrical activity in the isolated retina of the frog, 1585
FRANZ, T. J., and VAN BRUGGEN, J. T. Hyperosmolarity and the net transport of nonelectrolytes in frog skin, 933
FREEMAN, ALAN R., REUBEN, JOHN P., BRANDT, PHILIP W., and GRUNDFEST, HARRY. Osmometrically determined characteristics of the cell membrane of squid and lobster giant axons, 423
FREYGANG, W. H., JR., RAPOPORT, S. I., and PEACHEY, L. D. Some relations between changes in the linear electrical properties of striated muscle fibers and changes in ultrastructure, 2437
FUISZ, ROBERT E. See CURRAN, SCHULTZ, CHEZ, and FUISZ, 1261
—. See SCHULTZ, CURRAN, CHEZ, and FUISZ, 1241

G

GAFFRON, HANS. See SCHMID and GAFFRON, 563, 2131
GARCIA ROMEU, F. See MOTAIS, GARCIA ROMEU, and MAETZ, 391
GARY BOBO, C. M. Nonsolvent water in human erythrocytes and hemoglobin solutions, 2547
GERSHMAN, LEWIS C. See DREIZEN, GERSHMAN, TROTTA, and STRACHER, Suppl., p. 85
GILLARY, HOWARD L. Stimulation of the salt receptor of the blowfly. III. The alkali halides, 359
—. Stimulation of the salt receptor of the blowfly. I. NaCl, 337
—. II. Temperature, 351
GIMENEZ, MAXIMO. See CAPUTO and GIMENEZ, 2177
GOLDSMITH, TIMOTHY H. See FRANK and GOLDSMITH, 1585
GOLDSTICK, T. K. See TAKAHASHI, FATT, and GOLDSTICK, 317
GRUNDFEST, HARRY. The anomalous spikes of *Ascaris* esophageal cells, 1955
—. See BENNETT and GRUNDFEST, 141

GRUNDFEST HARRY. See FREEMAN, REUBEN, BRANDT, and GRUNDFEST, 423
GULIBON, JANE M. See FORADORI, BERTINCHAMPS, GULIBON, and COTZIAS, 2255
GUTKNECHT, JOHN. Ion fluxes and short-circuit current in internally perfused cells of *Valonia ventricosa*, 1821

H

VON HAGEN, STANLEY. See HURWITZ, VON HAGEN, and JOINER, 1157
HAGIWARA, SUSUMU, and TAKAHASHI, KUNITARO. Surface density of calcium ions and calcium spikes in the barnacle muscle fiber membrane, 583
HARRIS, E. J. See SPERELAKIS, SCHNEIDER, and HARRIS, 1565
HATCHER, G. See BEILIN, EYEIONS, HATCHER, KNIGHT, MUNRO-FAURE, and ANDERSON, 75
HAY, ROBERT J., and PAUL, JOHN. Factors influencing glucose flux and the effect of insulin in cultured human cells, 1663
HAYASHI, TERU. Reactivities of actin as a contractile protein, Suppl., p. 119
HENNING, MARCIA. See FENN, HENNING, and PHILPOTT, 1693
HERRERA, FRANCISCO C. See VILLEGAS, VILLEGAS, BLEI, HERRERA, and VILLEGAS, 43
HILLE, BERTIL. The selective inhibition of delayed potassium currents in nerve by tetraethylammonium ion, 1287
HO, P. M. See CSÁKY and HO, 113
HOFFMAN, JOSEPH F. See PARKER and HOFFMAN, 893
HOKIN, LOWELL E. See HOKIN and HOKIN, 793
HOKIN, MABEL R. The Na^+, K^+, and Cl^- content of goose salt gland slices and the effects of acetylcholine and ouabain, 2197
— and HOKIN, LOWELL E. The formation and continuous turnover of a fraction of phosphatidic acid on stimulation of NaCl secretion by acetylcholine in the salt gland, 793
HOLLOSZY, JOHN O., and NARAHARA, H. T. Enhanced permeability to sugar associated with muscle contraction. Studies of the role of Ca^{++}, 551
HOLTZMAN, DAVID. The effect of low ionic strength extracellular solutions on the resting potential in skeletal muscle fibers, 1485
HOSHIKO, T., and LINDLEY, BARRY D. Phenomenological description of active transport of salt and water, 729
HUNEEUS, F. C., and FERNANDEZ, H. L. Effect of specific antibodies on the excitability of internally perfused squid axons, 2407
HURWITZ, LEON, VON HAGEN, STANLEY, and JOINER, PAUL D. Acetylcholine and calcium on membrane permeability and contraction of intestinal smooth muscle, 1157
HUXLEY, H. E. Recent X-ray diffraction and electron microscope studies of striated muscle, Suppl., p. 71

I

INOUÉ, SHINYA, and SATO, HIDEMI. Cell motility by labile association of molecules. The nature of mitotic spindle fibers and their role in chromosome movement, Suppl., p. 259
INUI, YUKIHARU, and CHRISTENSEN, HALVOR N. Discrimination of single transport systems. The Na^+ -sensitive transport of neutral amino acids in the Ehrlich cell, 203
IRISAWA, HIROSHI. See SEYAMA and IRISAWA, 505
ISAACSON, ALLEN, and SANDOW, ALEXANDER. Quinine and caffeine effects on ^{45}Ca movements in frog sartorius muscle, 2109

J

JACKSON, P. C., and EDWARDS, D. G. Cation effects on chloride fluxes and accumulation levels in barley roots, 225
JÖBSIS, FRANS F., and DUFFIELD, JAMES C. Oxidative and glycolytic recovery metabolism in muscle. Fluorometric observations on their relative contributions, 1009
JOINER, PAUL D. See HURWITZ, VON HAGEN, and JOINER, 1157
JUNG, CHAN, and ROTHSTEIN, ASER. Cation metabolism in relation to cell size in synchronously grown tissue culture cell, 917

K

KANNO, TOMIO, and MATSUDA, KOJIRO. The effects of external sodium and potassium concentration on the membrane potential of atrioventricular fibers of the toad, 243

KAPLAN, J. GORDIN, and TACREITER, WANDA. The β-glucosidase of the yeast cell surface, 9
KARREMAN, GEORGE. See LING, OCHSENFELD, and KARREMAN, 1807
KATZ, ARNOLD M. Regulation of cardiac muscle contractility, Suppl., p. 185
KNIGHT, G. J. See BEILIN, EYEIONS, HATCHER, KNIGHT, MUNRO-FAURE, and ANDERSON, 75
—. See BEILIN, KNIGHT, MUNRO-FAURE, and ANDERSON, 61
KOLBER, ALAN R., and LEFEVRE, PAUL G. Evidence for carrier-mediated transport of monosaccharides in the Ehrlich ascites tumor cell, 1907
KRIEBEL, MAHLON E. Conduction velocity and intracellular action potentials of the tunicate heart, 2097
KROMASH, MARSHA H. See LING and KROMASH, 677
KUSANO, KIYOSHI, LIVENGOOD, DAVID R., and WERMAN, ROBERT. Correlation of transmitter release with membrane properties of the presynaptic fiber of the squid giant synapse, 2579

L

LACELLE, PAUL L., and ROTHSTEIN, ASER. The passive permeability of the red blood cell to cations, 171
LALL, ABNER B. See CHAPMAN and LALL, 2267
LANGER, G. A. Sodium exchange in dog ventricular muscle. Relation to frequency of contraction and its possible role in the control of myocardial contractility, 1221
LECAR, HAROLD, EHRENSTEIN, GERALD, BINSTOCK, LEONARD, and TAYLOR, ROBERT E. Removal of potassium negative resistance in perfused squid giant axons, 1499
LEE, PING, WOO, ANNA, and TOSTESON, DANIEL C. Cytodifferentiation and membrane transport properties in LK sheep red cells, 379
LEFEVRE, PAUL G. See KOLBER and LEFEVRE, 1907
LEO, BARBARA. See CARVALHO and LEO, 1327
LETTVIN, J. Y. See TAKATA, PICKARD, LETTVIN, and MOORE, 461
LEVY, HARVEY M., and RYAN, ELIZABETH M. The contractile and control sites of natural actomyosin, 2421
LIEB, W. R. See SHA'AFI and LIEB, 1751
LINDLEY, BARRY D. See HOSHIKO and LINDLEY, 729
LING, GILBERT N., and KROMASH, MARSHA H. The extracellular space of voluntary muscle tissues, 677
—, OCHSENFELD, MARGARET M., and KARREMAN, GEORGE. Is the cell membrane a universal rate-limiting barrier to the movement of water between the living cell and its surrounding medium? 1807
LIPICKY, R. J., and BRYANT, S. H. Sodium, potassium, and chloride fluxes in intercostal muscle from normal goats and goats with hereditary myotonia, 89
LIVENGOOD, DAVID R. See KUSANO, LIVENGOOD, and WERMAN, 2579
LLOYD, J. E. See BIGGLEY, LLOYD, and SELIGER, 1681
LOEWENSTEIN, W. R., NAKAS, M., and SOCOLAR, S. J. Junctional membrane uncoupling. Permeability transformations at a cell membrane junction, 1865
LORKOVIĆ, HRVOJE. The effect of pH on the mechanical activity of the frog toe muscle, 863
—. The influence of ionic strength on potassium contractures and calcium movements in frog muscle, 883

M

MAETZ, J. See MOTAIS, GARCIA ROMEU, and MAETZ, 391
MANDELKERN, L. Some fundamental molecular mechanisms of contractility in fibrous macromolecules, Suppl., p. 29
MARTIN, DUNCAN W., and DIAMOND, JARED M. Energetics of coupled active transport of sodium and chloride, 295
MATSUDA, KOJIRO. See KANNO and MATSUDA, 243
MATSUMOTO, YORIMI. Theoretical series elastic element length in *Rana pipiens* sartorius muscles, 1139
—. Validity of the force-velocity relation for muscle contraction in the length region, $l \leq l_0$, 1125
MAZIA, DANIEL. Introduction to Contractile processes in nonmuscular systems, Suppl., p. 221
MELLON, DEFOREST, JR. Analysis of com-

pound postsynaptic potentials in the central nervous system of the surf clam, 759
MOORE, JOHN W., BLAUSTEIN, MORDECAI P., ANDERSON, NELS C., and NARAHASHI, TOSHIO. Basis of tetrodotoxin's selectivity in blockage of squid axons, 1401
—. See NARAHASHI, ANDERSON, and MOORE, 1413
—. See TAKATA, PICKARD, LETTVIN, and MOORE, 461
MORALES, T. See DEL CASTILLO and MORALES, 603, 631
MORRILL, GENE A., and ROBBINS, ELLIOTT. The role of calcium in the regulation of the steady-state levels of sodium and potassium in the HeLa cell, 781
MOTAIS, R., GARCIA ROMEU, F., and MAETZ, J. Exchange diffusion effect and eurihalinity in teleosts, 391
MOZELL, MAXWELL MARK. The spatio-temporal analysis of odorants at the level of the olfactory receptor sheet, 25
MULLINS, L. J., and BRINLEY, F. J., JR. Some factors influencing sodium extrusion by internally dialyzed squid axons, 2333
—. See BRINLEY and MULLINS, 2303
—. See SJODIN and MULLINS, 533
MUNRO-FAURE, A. D. See BEILIN, EYEIONS, HATCHER, KNIGHT, MUNRO-FAURE, and ANDERSON, 75
—. See BEILIN, KNIGHT, MUNRO-FAURE, and ANDERSON, 61

N

NAITOH, YUTAKA, and YASUMASU, IKUO. Binding of Ca ions by *Paramecium caudatum*, 1303
NAKAS, M. See LOEWENSTEIN, NAKAS, and SOCOLAR, 1865
NARAHARA, H. T. See HOLLOSZY and NARAHARA, 551
NARAHASHI, TOSHIO, ANDERSON, NELS C., and MOORE, JOHN W. Comparison of tetrodotoxin and procaine in internally perfused squid giant axons, 1413
—. See MOORE, BLAUSTEIN, ANDERSON, and NARAHASHI, 1401
NOKES, GEORGE. See RIDER, SCHEDL, NOKES, and SHINING, 1173
NORTHROP, JOHN H. Increased mutation rate of *E. coli* K12λ cultures maintained in continuous logarithmic growth, 369

O

OBARA, SHOSAKU. See WATANABE, OBARA, and AKIYAMA, 839
—. See WATANABE, OBARA, AKIYAMA, and YUMOTO, 813
OCHI, RIKUO. See SUGI and OCHI, 2145, 2167
OCHSENFELD, MARGARET M. See LING, OCHSENFELD, and KARREMAN, 1807

P

PALMER, RICHARD R. See CHEZ, PALMER, SCHULTZ, and CURRAN, 2357
PALMER, ROGER F., and POSEY, VIRGINIA A. Ion effects on calcium accumulation by cardiac sarcoplasmic reticulum, 2085
PARKER, JOHN C., and HOFFMAN, JOSEPH F. The role of membrane phosphoglycerate kinase in the control of glycolytic rate by active cation transport in human red blood cells, 893
PAUL, JOHN. See HAY and PAUL, 1663
PEACHEY, L. D. See FREYGANG, RAPOPORT, and PEACHEY, 2437
PERRY, S. V. Introduction to Contractile processes in striated muscle, Suppl., p. 63
PHILPOTT, MARY. See FENN, HENNING, and PHILPOTT, 1693
PICKARD, W. F. See TAKATA, PICKARD, LETTVIN, and MOORE, 461
PILAR, G. Further study of the electrical and mechanical responses of slow fibers in cat extraocular muscles, 2289
PODOLSKY, R. J. See COSTANTIN and PODOLSKY, 1101
POOL, PETER E., and SONNENBLICK, EDMUND H. The mechanochemistry of cardiac muscle. I. The isometric contraction, 951
POSEY, VIRGINIA A. See PALMER and POSEY, 2085
POST, R. L., ALBRIGHT, C. D., and DAYANI, K. Resolution of pump and leak components of sodium and potassium ion transport in human erythrocytes, 1201
PRINGLE, J. W. S. Evidence from insect fibrillar muscle about the elementary contractile process, Suppl., p. 139

R

RAPOPORT, S. I. See FREYGANG, RAPOPORT, and PEACHEY, 2437
RAVEN, J. A. Ion transport in *Hydrodictyon africanum*, 1607

RAVEN, J. A. Light stimulation of active transport in *Hydrodictyon africanum*, 1627
REBHUN, LIONEL I. Structural aspects of saltatory particle movement, Suppl., p. 223
REUBEN, JOHN P. See FREEMAN, REUBEN, BRANDT, and GRUNDFEST, 423
REYNOLDS, GEORGE T. See ECKERT and REYNOLDS, 1429
RICH, G. T., SHA'AFI, R. I., BARTON, T. C., and SOLOMON, A. K. Permeability studies on red cell membranes of dog, cat, and beef, 2391
—. See SHA'AFI, RICH, SIDEL, BOSSERT, and SOLOMON, 1377
RIDER, ALAN K., SCHEDL, HAROLD P., NOKES, GEORGE, and SHINING, STREETER. Small intestinal glucose transport. Proximal-distal kinetic gradients, 1173
ROBBINS, ELLIOTT. See MORRILL and ROBBINS, 781
ROSENBERG, PHILIP. See DETTBARN and ROSENBERG, 447
ROTHSTEIN, ASER. See ARMSTRONG and ROTHSTEIN, 967
—. See JUNG and ROTHSTEIN, 917
—. See LACELLE and ROTHSTEIN, 171
RUBIN, RICHARD H. See SWEENEY, TUFFLI, and RUBIN, 647
RYAN, ELIZABETH M. See LEVY and RYAN, 2421

S

SANDOW, ALEXANDER. Introduction to Comparative aspects of muscular contraction, Suppl., p. 137
—. See ISAACSON and SANDOW, 2109
SATIR, PETER. Morphological aspects of ciliary motility, Suppl., p. 241
SATO, HIDEMI. See INOUÉ and SATO, Suppl., p. 259
SCHEDL, HAROLD P. See RIDER, SCHEDL, NOKES, and SHINING, 1173
SCHERAGA, HAROLD A. Contractility and conformation, Suppl., p. 5
SCHMID, GEORG H., and GAFFRON, HANS. Light metabolism and chloroplast structure in chlorophyll-deficient tobacco mutants, 563
— and —. Quantum requirement for photosynthesis in chlorophyll-deficient plants with unusual lamellar structures, 2131
SCHNEIDER, MARTIN F. See SPERELAKIS, SCHNEIDER, and HARRIS, 1565
SCHULTZ, STANLEY G., CURRAN, PETER F., CHEZ, RONALD A., and FUISZ, ROBERT E. Alanine and sodium fluxes across mucosal border of rabbit ileum, 1241
—. See CHEZ, PALMER, SCHULTZ, and CURRAN, 2357
—. See CURRAN, SCHULTZ, CHEZ, and FUISZ, 1261
—. See WEIDEN, EPSTEIN, and SCHULTZ, 1641
SELIGER, H. H. See BIGGLEY, LLOYD, and SELIGER, 1681
SENFT, JOSEPH P. Effects of some inhibitors on the temperature-dependent component of resting potential in lobster axon, 1835
—. See ADELMAN and SENFT, 279
SEYAMA, ISSEI, and IRISAWA, HIROSHI. The effect of high sodium concentration on the action potential of the skate heart, 505
SHA'AFI, R. I., and LIEB, W. R. Cation movements in the high sodium erythrocyte of the cat, 1751
—, RICH, G. T., SIDEL, VICTOR W., BOSSERT, WILLIAM H., and SOLOMON, A. K. The effect of the unstirred layer on human red cell water permeability, 1377
—. See RICH, SHA'AFI, BARTON, and SOLOMON, 2391
SHINING, STREETER. See RIDER, SCHEDL, NOKES, and SHINING, 1173
SIDEL, VICTOR W. See SHA'AFI, RICH, SIDEL, BOSSERT, and SOLOMON, 1377
SINGER, IRWIN. See TASAKI, SINGER, and WATANABE, 989
SJODIN, R. A. Long duration responses in squid giant axons injected with ^{134}cesium sulfate solutions, 269
— and MULLINS, L. J. Tracer and nontracer potassium fluxes in squid giant axons and the effects of changes in external potassium concentration and membrane potential, 533
SOCOLAR, S. J. See LOEWENSTEIN, NAKAS, and SOCOLAR, 1865
SOLL, ANDREW H. A new approach to molecular configuration applied to aqueous pore transport, 2565
SOLOMON, A. K. See BENTZEL and SOLOMON, 1547
—. See RICH, SHA'AFI, BARTON, and SOLOMON, 2391
—. See SHA'AFI, RICH, SIDEL, BOSSERT, and SOLOMON, 1377

SONNENBLICK, EDMUND H. Active state in heart muscle. Its delayed onset and modification by inotropic agents, 661
—. See POOL and SONNENBLICK, 951
SPERELAKIS, NICK, SCHNEIDER, MARTIN F., and HARRE, E. J. Decreased K^+ conductance produced by Ba^{++} in frog sartorius fibers, 1565
STEFANI, ENRIQUE. See CHIARANDINI and STEFANI, 1183
STEINBACH, H. BURR. On the ability of isolated frog skin to manufacture Ringer's fluid, 2377
STEPHENSON, ELIZABETH W. Cation regulation in the smooth muscle of frog stomach, 1517
STRACHER, ALFRED. Introduction to Contractile processes in macromolecules, Suppl., p. 3
—. See DREIZEN, GERSHMAN, TROTTA, and STRACHER, Suppl., p. 85
STRICKHOLM, ALFRED, and WALLIN, B. GUNNAR. Relative ion permeabilities in the crayfish giant axon determined from rapid external ion changes, 1929
SUGI, HARUO, and OCHI, RIKUO. The mode of transverse spread of contraction initiated by local activation in single crayfish muscle fibers, 2145
— and—. The mode of transverse spread of contraction initiated by local activation in single frog muscle fibers, 2167
SWAN, ROY C. See FISCHMAN and SWAN, 1709
SWEENEY, BEATRICE M., TUFFLI, CHARLES F., JR., and RUBIN, RICHARD H. The circadian rhythm in photosynthesis in *Acetabularia* in the presence of actinomycin D, puromycin, and chloramphenicol, 647

T

TACREITER, WANDA. See KAPLAN and TACREITER, 9
TAKAGI, S. F., WYSE, G. A., and YAJIMA, TOSHI. Anion permeability of the olfactory receptive membrane, 473
TAKAHASHI, G. H., FATT, I., and GOLDSTICK, T. K. Oxygen consumption rate of tissue measured by a micropolarographic method, 317
TAKAHASHI, KUNITARO. See HAGIWARA and TAKAHASHI, 583
TAKATA, M., PICKARD, W. F., LETTVIN, J. Y., and MOORE, JOHN W. Ionic conductance changes in lobster axon membrane when lanthanum is substituted for calcium, 461
TAKEDA, KIMIHISA. Permeability changes associated with the action potential in procaine-treated crayfish abdominal muscle fibers, 1049
TASAKI, ICHIJI, SINGER, IRWIN, and WATANABE, AKIRA. Cation interdiffusion in squid giant axons, 989
TAYLOR, ROBERT E. See LECAR, EHRENSTEIN, BINSTOCK, and TAYLOR, 1499
TIEFFENBERG, M. See ANDREOLI, TIEFFENBERG, and TOSTESON, 2527
—. See TOSTESON, COOK, ANDREOLI, and TIEFFENBERG, 2513
TILLE, J. Electrotonic interaction between muscle fibers in the rabbit ventricle, 189
TORMEY, JOHN MCD., and DIAMOND, JARED M. The ultrastructural route of fluid transport in rabbit gall bladder, 2031
TOSTESON, DANIEL C., COOK, P., ANDREOLI, THOMAS E., and TIEFFENBERG, M. The effect of valinomycin on potassium and sodium permeability of HK and LK sheep red cells, 2513
—. See ANDREOLI, BANGHAM, and TOSTESON, 1729
—. See ANDREOLI, TIEFFENBERG, and TOSTESON, 2527
—. See LEE, WOO, and TOSTESON, 379
TROTTA, PAUL P. See DREIZEN, GERSHMAN, TROTTA, and STRACHER, Suppl., p. 85
TUFFLI, CHARLES F., JR. See SWEENEY, TUFFLI, and RUBIN, 647
TWAROG, BETTY M. The regulation of catch in molluscan muscle, Suppl., p. 157

V

VAN BRUGGEN, J. T. See FRANZ and VAN BRUGGEN, 933
VILLEGAS, GLORIA M. See VILLEGAS, VILLEGAS, BLEI, HERRERA, and VILLEGAS, 43
VILLEGAS, JORGE. See VILLEGAS, VILLEGAS, BLEI, HERRERA, and VILLEGAS, 43
VILLEGAS, RAIMUNDO, VILLEGAS, GLORIA M., BLEI, MARGARITA, HERRERA, FRANCISCO C., and VILLEGAS, JORGE. Nonelectrolyte penetration and sodium fluxes through the axolemma of resting and stimulated medium sized axons of the squid *Doryteuthis plei*, 43

W

WALLIN, B. GUNNAR. See STRICKHOLM and WALLIN, 1929
WASSERMAN, GERALD S. Density spectrum of *Limulus* screening pigment, 1075
WATANABE, AKIRA, OBARA, SHOSAKU, and AKIYAMA TOYOHIRO. Pacemaker potentials for the periodic burst discharge in the heart ganglion of a stomatopod, *Squilla oratoria*, 839
—, —, —, and YUMOTO, KATSUTO. Electrical properties of the pacemaker neurons in the heart ganglion of a stomatopod, *Squilla oratoria*, 813
—. See TASAKI, SINGER, and WATANABE, 989
WEIDEN, PAUL L., EPSTEIN, WOLFGANG, and SCHULTZ, STANLEY G. Cation transport in *Escherichia coli*. VII. Potassium requirement for phosphate uptake, 1641
WERMAN, ROBERT. See KUSANO, LIVENGOOD, and WERMAN, 2579
WOO, ANNA. See LEE, WOO, and TOSTESON, 379
WYSE, G. A. See TAKAGI, WYSE, and YAJIMA, 473

Y

YAJIMA, TOSHI. See TAKAGI, WYSE, and YAJIMA, 473
YASUMASU, IKUO. See NAITOH and YASUMASU, 1303
YUMOTO, KATSUTO. See WATANABE, OBARA, AKIYAMA, and YUMOTO, 813

Z

ZANKEL, K. L., BURKE, PATRICIA V., and DELBRÜCK, M. Absorption and screening in *Phycomyces*, 1893
ZIERLER, KENNETH L. See BAHLER, FALES, and ZIERLER, 2239

INDEX TO SUBJECTS

A

Abstracts of papers presented at the twenty-first Annual Meeting of the Society of General Physiologists, 1081
— of papers presented at the twenty-second Annual Meeting of the Society of General Physiologists, 2477
Acetabularia, circadian rhythm in photosynthesis in presence of actinomycin D, puromycin, and chloramphenicol, 647
Acetylcholine and calcium on membrane permeability and contraction of intestinal smooth muscle, 1157
—, efflux from peripheral nerve, effect of ions, 447
— in salt gland, stimulation of sodium chloride secretion, and formation and continuous turnover of fraction of phosphatidic acid, 793
— and ouabain effects, sodium, potassium, and chloride content of goose salt gland slices, 2197
Acid, amino, and sodium interaction at mucosal border of intestine, kinetic relations, 1261
—, fraction of phosphatidic, formation and continuous turnover, and stimulation of sodium chloride secretion by acetylcholine in salt gland, 793
Acids, amino, neutral, sodium-sensitive transport in Ehrlich cell, discrimination of single transport systems, 203
Actin, reactivities, as a contractile protein, Suppl., p. 119
Actinomycin D, puromycin, and chloramphenicol, circadian rhythm in photosynthesis in *Acetabularia* in presence of, 647
Actomyosin, natural, contractile and control sites, 2421
—, nuclear magnetic resonance evidence for complexing of sodium in muscle, kidney, and brain, 1353
Adenosine triphosphatase activity of myosin correlated with speed of muscle shortening, Suppl., p. 197
— triphosphate, effects on interaction of calcium, magnesium, and potassium with fragmented sarcoplasmic reticulum isolated from rabbit skeletal muscle, 1327
Alanine and sodium fluxes across mucosal border of rabbit ileum, 1241
— transport in isolated rabbit ileum, effect of inhibitors, 2357
Alkali halides, stimulation of salt receptor of blowfly, 359
— metal cations, discrimination by yeast, cation interactions in transport, 967
Amino acid–sodium interaction at mucosal border of intestine, kinetic relations, 1261
— acids, neutral, sodium-sensitive transport in Ehrlich cell, discrimination of single transport systems, 203
Amphibian muscle, determination of extracellular space, 1459
Antibodies, specific, effect on excitability of internally perfused squid axons, 2407
Aplysia neurons, temperature effects on pacemaker generation, membrane potential, and critical firing threshold, 1469
Ascaris esophageal cells, anomalous spikes, 1955
—, extracellular action potentials recorded from the interior of giant esophageal cell, 631
— *lumbricoides*, electrical and mechanical activity of esophageal cell, 603
Ascites tumor cell, Ehrlich, evidence for carrier-mediated transport of monosaccharides, 1907
Atrioventricular fibers of toad, effects of external sodium and potassium concentration on membrane potential, 243
Axolemma of resting and stimulated medium sized axons of squid *Doryteuthis plei*, nonelectrolyte penetration and sodium fluxes through, 43
Axon, crayfish giant, relative ion permeabilities determined from rapid external ion changes, 1929
—, lobster, effects of some inhibitors on

temperature-dependent component of resting potential, 1835
Axon membrane, lobster, ionic conductance changes when lanthanum is substituted for calcium, 461
—, squid giant, fluorometric measurement of pyridine nucleotide reduction, 2603
—, squid giant, voltage clamp studies on effect of internal cesium ion on sodium and potassium currents, 279
Axons, internally dialyzed squid, factors influencing sodium extrusion, 2333
—, internally dialyzed squid, sodium extrusion, 2303
—, internally perfused squid, effect of specific antibodies on excitability, 2407
—, internally perfused squid giant, comparison of tetrodotoxin and procaine, 1413
—, lobster and squid giant, osmometrically determined characteristics of cell membrane, 423
— of squid *Doryteuthis plei*, resting and stimulated medium sized, nonelectrolyte penetration and sodium fluxes through axolemma of, 43
—, perfused squid giant, removal of potassium negative resistance, 1499
—, squid, basis of tetrodotoxin's selectivity in blockage, 1401
—, squid giant, cation interdiffusion, 989
—, squid giant, injected with ^{134}cesium sulfate solutions, long duration responses, 269
—, squid giant, time course of tetraethylammonium chloride–induced anomalous rectification, 491
—, squid giant, tracer and nontracer potassium fluxes and effects of changes in external potassium concentration and membrane potential, 533

B

Barium in frog sartorius fibers, decreased potassium conductance produced by, 1565
Barley roots, cation effects on chloride fluxes and accumulation levels, 225
Barnacle muscle fiber membrane, surface density of calcium ions and calcium spikes, 583
Beef, dog, and cat, permeability studies on red cell membranes, 2391
Bioluminescence, subcellular origin, in *Noctiluca miliaris*, 1429
Bladder, rabbit gall, ultrastructural route of fluid transport, 2031
Blood cells, red. *See* Erythrocytes.
Blowfly, stimulation of salt receptor, 337, 351, 359
Brain, muscle, and kidney, and by actomyosin, nuclear magnetic resonance evidence for complexing of sodium, 1353

C

Caffeine- and potassium-induced contractures of frog striated muscle fibers in hypertonic solutions, 129
— and quinine effects on ^{45}calcium movements in frog sartorius muscle, 2109
Calcium accumulation by cardiac sarcoplasmic reticulum, ion effects, 2085
— and acetylcholine on membrane permeability and contraction of intestinal smooth muscle, 1157
— deprivation, external, effects on single muscle fibers, 2177
— fluxes in single twitch muscle fibers, 255
—, ionic conductance changes in lobster axon membrane when lanthanum is substituted for, 461
— ions, binding by *Paramecium caudatum*, 1303
— ions, surface density, and calcium spikes in barnacle muscle fiber membrane, 583
—, magnesium, and potassium, interaction with fragmented sarcoplasmic reticulum isolated from rabbit skeletal muscle, effects of ATP, 1327
^{45}Calcium movements in frog sartorius muscle, quinine and caffeine effects, 2109
— movements and potassium contractures in frog muscle, influence of ionic strength, 883
—, role in enhanced permeability to sugar associated with muscle contraction, 551
—, role in regulation of steady-state levels of sodium and potassium in HeLa cell, 781
— and strontium, in vivo effect of uncoupling agents on incorporation into mitochondria and other subcellular fractions of rat liver, 1849
— substituted by nickel in excitation-contraction coupling of skeletal muscle, 1709
Cardiac glycosides, effects on electrical activity in isolated retina of frog, 1585

Cardiac muscle contractility, regulation, Suppl., p. 185
— muscle, isometric contraction, mechanochemistry, 951
— sarcoplasmic reticulum, ion effects on calcium accumulation, 2085
Catch in molluscan muscle, regulation, Suppl., p. 157
Cell, Ehrlich ascites tumor, evidence for carrier-mediated transport of monosaccharides, 1907
—, Ehrlich, sodium-sensitive transport of neutral amino acids, discrimination of single transport systems, 203
—, esophageal, of *Ascaris lumbricoides*, electrical and mechanical activity, 603
—, extracellular action potentials recorded from interior of giant esophageal cell of *Ascaris*, 631
—, extracellular solutions, low ionic strength, effect on resting potential in skeletal muscle fibers, 1485
—, extracellular space, determination in amphibian muscle, 1459
—, extracellular space of voluntary muscle tissues, 677
—, giant esophageal, of *Ascaris*, extracellular action potentials recorded from interior of, 631
—, HeLa, role of calcium in regulation of steady-state levels of sodium and potassium, 781
—, intracellular action potentials and conduction velocity of tunicate heart, 2097
—, intracellular current pulses, effect in smooth muscle cells of guinea pig vas deferens at rest and during transmission, 2459
—, intracellular electrodes, equivalent circuit of single crab muscle fibers as determined by impedance measurements with, 1785
— membrane, is it universal rate-limiting barrier to movement of water between living cell and its surrounding medium? 1807
— membrane junction, permeability transformations, junctional membrane uncoupling, 1865
— membrane of squid and lobster giant axons, osmometrically determined characteristics, 423
— motility by labile association of molecules, nature of mitotic spindle fibers and their role in chromosome movement, Suppl., p. 259
Cell, subcellular fractions of rat liver and mitochondria, in vivo effect of uncoupling agents on incorporation of calcium and strontium into, 1849
—, subcellular origin of bioluminescence in *Noctiluca miliaris*, 1429
— surface, yeast, β-glucosidase of, 9
—, synchronously grown tissue culture, cation metabolism in relation to cell size, 917
Cells, *Ascaris* esophageal, anomalous spikes, 1955
—, cultured human, factors influencing glucose flux and effect of insulin, 1663
—, internally perfused, of *Valonia ventricosa*, ion fluxes and short-circuit current, 1821
—, red, blood. *See* Erythrocytes.
—, smooth muscle, of guinea pig vas deferens at rest and during transmission, effect of intracellular current pulses, 2459
Cellular complexing of sodium, relation to water structure and transport kinetics, 1353
Cesium ion, internal, effect on sodium and potassium currents in squid giant axon, voltage clamp studies, 279
^{134}Cesium sulfate solutions, long duration responses in squid giant axons injected with, 269
Chloramphenicol, actinomycin D, and puromycin, circadian rhythm in photosynthesis in *Acetabularia* in presence of, 647
Chloride fluxes and accumulation levels in barley roots, cation effects, 225
— and sodium, energetics of coupled active transport, 295
—, sodium, and potassium content of goose salt gland slices and effects of acetylcholine and ouabain, 2197
—, sodium, and potassium fluxes in intercostal muscle from normal goats and goats with hereditary myotonia, 89
Chlorophyll-deficient plants with unusual lamellar structures, quantum requirement for photosynthesis, 2131
— tobacco mutants, light metabolism and chloroplast structure, 563
Chloroplast structure and light metabolism in chlorophyll-deficient tobacco mutants, 563
Chromosome movement, role of mitotic

spindle fibers, cell motility by labile association of molecules, Suppl., p. 259
Ciliary motility, morphological aspects, Suppl., p. 241
Circadian rhythm in photosynthesis in *Acetabularia* in presence of actinomycin D, puromycin, and chloramphenicol, 647
Clam, surf, compound postsynaptic potentials in central nervous system, 759
Conductance, decreased potassium, produced by barium in frog sartorius fibers, 1565
—, ionic, changes in lobster axon membrane when lanthanum is substituted for calcium, 461
Contractile apparatus variations in smooth and striated muscles, X-ray diffraction studies at rest and in contraction, Suppl., p. 171
— and control sites of natural actomyosin, 2421
— process, elementary, evidence from insect fibrillar muscle, Suppl., p. 139
— protein, reactivities of actin, Suppl., p. 119
Contractility, cardiac muscle, regulation, Suppl., p. 185
— and conformation, Suppl., p. 5
— in fibrous macromolecules, molecular mechanisms, Suppl., p. 29
—, myocardial, relation of sodium exchange in dog ventricular muscle to frequency of contraction and possible role in control of, 1221
Contraction-excitation coupling of skeletal muscle, nickel substitution for calcium, 1709
Contraction frequency and its possible role in control of myocardial contractility, sodium exchange in dog ventricular muscle, 1221
— initiated by local activation in single crayfish muscle fibers, mode of transverse spread, 2145
— initiated by local activation in single frog muscle fibers, mode of transverse spread, 2167
—, isometric, mechanochemistry of cardiac muscle, 951
—, muscle, enhanced permeability to sugar associated with, role of calcium, 551
—, muscle, in length region, $l \leq l_0$, validity of force-velocity relation, 1125
Contraction of intestinal smooth muscle and membrane permeability, acetylcholine and calcium, 1157
Contractures, caffeine- and potassium-induced, of frog striated muscle fibers in hypertonic solutions, 129
—, potassium, and calcium movements in frog muscle, influence of ionic strength, 883
Crab muscle fibers, single, equivalent circuit as determined by impedance measurements with intracellular electrodes, 1785
Crayfish abdominal muscle fibers, procaine-treated, permeability changes associated with action potential, 1049
— giant axon, relative ion permeabilities determined from rapid external ion changes, 1929
— muscle fibers, single, mode of transverse spread of contraction initiated by local activation, 2145
Cytodifferentiation and membrane transport properties in LK sheep red cells, 379

D

Doryteuthis plei, nonelectrolyte penetration and sodium fluxes through axolemma of resting and stimulated medium sized axons of squid, 43
Drosophila, oxygen poisoning, 1693

E

Ehrlich ascites tumor cell, evidence for carrier-mediated transport of monosaccharides, 1907
— cell, sodium-sensitive transport of neutral amino acids, discrimination of single transport systems, 203
Electrolyte, non-, penetration and sodium fluxes through axolemma of resting and stimulated medium sized axons of squid *Doryteuthis plei*, 43
Electrolytes, non-, in frog skin, hyperosmolarity and net transport, 933
Electron microscope and X-ray diffraction studies of striated muscle, Suppl., p. 71
Electroplaques, gymnotid, depolarizing and hyperpolarizing inactivation responses, 141
Electroretinogram characteristics and spectral mechanisms of median ocellus and lateral eye in *Limulus polyphemus*, 2267

Electrotonic interaction between muscle fibers in rabbit ventricle, 189
Epithelia, mechanism for coupling of water and solute transport, standing-gradient osmotic flow, 2061
Erythrocyte, high sodium, of cat, cation movements, 1751
— lipids, HK and LK sheep, formation and properties of thin lipid membranes, 1729
— membranes of dog, cat, and beef, permeability studies, 2391
— water permeability, human, effect of unstirred layer, 1377
Erythrocytes, HK and LK sheep, effect of valinomycin on potassium and sodium permeability, 2513
—, human, and hemoglobin solutions, nonsolvent water, 2547
—, human, nonsolvent water, 1311
—, human, resolution of pump and leak components of sodium and potassium ion transport, 1201
—, human, role of membrane phosphoglycerate kinase in control of glycolytic rate by active cation transport, 893
— in vivo, entry of sodium into human, 75
—, LK sheep, cytodifferentiation and membrane transport properties, 379
—, passive permeability to cations, 171
—, sodium concentration in human, 61
Escherichia coli, cation transport, potassium requirement for phosphate uptake, 1641
— *coli* K12λ cultures maintained in continuous logarithmic growth, increased mutation rate, 369
Esophageal cell, giant, of *Ascaris*, extracellular action potentials recorded from interior of, 631
— cell of *Ascaris lumbricoides*, electrical and mechanical activity, 603
— cells of *Ascaris*, anomalous spikes, 1955
Euryhalinity and exchange diffusion effect in teleosts, 391
Exchange diffusion effect and euryhalinity in teleosts, 391
Excitation-contraction coupling of skeletal muscle, nickel substitution for calcium, 1709
Eye, lateral, and median ocellus in *Limulus polyphemus*, electroretinogram characteristics and spectral mechanisms, 2267
Eyes, light-adapted wolf spider, nonlinear model for transient responses, 1993
—, light-adapted wolf spider, nonlinear transient responses to changes in background illumination, 1961

F

Fiber membrane, barnacle muscle, surface density of calcium ions and calcium spikes, 583
—, presynaptic, of squid giant synapse, membrane properties, correlation of transmitter release, 2579
Fibers, atrioventricular, of toad, effects of external sodium and potassium concentration on membrane potential, 243
—, frog sartorius, decreased potassium conductance produced by barium, 1565
—, frog striated muscle, in hypertonic solutions, caffeine- and potassium-induced contractures, 129
—, mitotic spindle, and their role in chromosome movement, cell motility by labile association of molecules, Suppl., p. 259
—, muscle, in rabbit ventricle, electrotonic interaction, 189
—, procaine-treated crayfish abdominal muscle, permeability changes associated with action potential, 1049
—, single crab muscle, equivalent circuit as determined by impedance measurements with intracellular electrodes, 1785
—, single crayfish muscle, mode of transverse spread of contraction initiated by local activation, 2145
—, single frog muscle, mode of transverse spread of contraction initiated by local activation, 2167
—, single muscle, effects of external calcium deprivation, 2177
—, single twitch muscle, calcium fluxes, 255
—, skeletal muscle, effect of low ionic strength extracellular solutions on resting potential, 1485
—, slow, in cat extraocular muscles, electrical and mechanical responses, 2289
—, striated muscle, relations between changes in linear electrical properties and changes in ultrastructure, 2437
Firefly light, spectral distribution, 1681
Fluorometric measurement of pyridine nucleotide reduction in giant axon of squid, 2603
— observations on relative contributions of

oxidative and glycolytic recovery metabolism in muscle, 1009
Frog, effects of cardiac glycosides on electrical activity in isolated retina, 1585
— muscle fibers, single, mode of transverse spread of contraction initiated by local activation, 2167
— muscle, influence of ionic strength on potassium contractures and calcium movements, 883
— sartorius fibers, decreased potassium conductance produced by barium, 1565
— sartorius muscle, quinine and caffeine effects on ^{45}calcium movements, 2109
— skeletal muscle activation, depolarization of internal membrane system, 1101
— skin, hyperosmolarity and net transport of nonelectrolytes, 933
— skin, isolated, ability to manufacture Ringer's fluid, 2377
— stomach, smooth muscle, cation regulation, 1517
— striated muscle fibers in hypertonic solutions, caffeine- and potassium-induced contractures, 129
— toe muscle, effect of pH on mechanical activity, 863

G

Gall bladder, rabbit, ultrastructural route of fluid transport, 2031
Ganglion, heart, of stomatopod, *Squilla oratoria*, electrical properties of pacemaker neurons, 813
—, heart, of stomatopod, *Squilla oratoria*, pacemaker potentials for periodic burst discharge, 839
Gland, salt, stimulation of sodium chloride secretion by acetylcholine, and formation and continuous turnover of fraction of phosphatidic acid, 793
— slices, goose salt, and effects of acetylcholine and ouabain, sodium, potassium, and chloride content, 2197
Glucose, effect of potassium on intestinal transport, 113
— flux and effect of insulin in cultured human cells, factors influencing, 1663
— transport, small intestinal, proximal-distal kinetic gradients, 1173
Glucosidase, β-, of yeast cell surface, 9
Glycolytic and oxidative recovery metabolism in muscle, fluorometric observations on their relative contributions, 1009
— rate, control by active cation transport in human red blood cells, role of membrane phosphoglycerate kinase, 893
Glycosides, cardiac, effects on electrical activity in isolated retina of frog, 1585
Goats, normal, and with hereditary myotonia, sodium, potassium, and chloride fluxes in intercostal muscle, 89
Goose salt gland slices and effects of acetylcholine and ouabain, sodium, potassium, and chloride content, 2197
Guinea pig vas deferens at rest and during transmission, effect of intracellular current pulses in smooth muscle cells, 2459
Gymnotid electroplaques, depolarizing and hyperpolarizing inactivation responses, 141

H

Heart ganglion of stomatopod, *Squilla oratoria*, electrical properties of pacemaker neurons, 813
— ganglion of stomatopod, *Squilla oratoria*, pacemaker potentials for periodic burst discharge, 839
— muscle, active state, delayed onset and modification by inotropic agents, 661
—, skate, effect of high sodium concentration on action potential, 505
—, tunicate, conduction velocity and intracellular action potentials, 2097
HeLa cell, role of calcium in regulation of steady-state levels of sodium and potassium, 781
Hemoglobin solutions and human erythrocytes, nonsolvent water, 2547
Hydrodictyon africanum, ion transport, 1607
— *africanum*, light stimulation of active transport, 1627
Hyperosmolarity and net transport of nonelectrolytes in frog skin, 933

I

Ileum, isolated rabbit, effect of inhibitors on alanine transport, 2357
—, isolated rat, transport of salt and water, evidence for at least two distinct pathways, 695
—, rabbit, alanine and sodium fluxes across mucosal border, 1241
Inhibition, Mach band type lateral, in different sense organs, 519
—, selective, of delayed potassium currents in nerve by tetraethylammonium ion, 1287

Inhibitors, effect on alanine transport in isolated rabbit ileum, 2357
—, effects of some on temperature-dependent component of resting potential in lobster axon, 1835
Insect fibrillar muscle, evidence about elementary contractile process, Suppl., p. 139
Insulin, effect, and glucose flux in cultured human cells, factors influencing, 1663
Intestinal, small, glucose transport, proximal-distal kinetic gradients, 1173
— smooth muscle, contraction and membrane permeability, acetylcholine and calcium, 1157
— transport of glucose, effect of potassium, 113
Intestine, mucosal border, kinetic relations of sodium–amino acid interaction, 1261

K

Kidney, muscle, and brain, and by actomyosin, nuclear magnetic resonance evidence for complexing of sodium, 1353

L

Lanthanum, when substituted for calcium, ionic conductance changes in lobster axon membrane, 461
Letters to Editor, 1075, 1955
Light, firefly, spectral distribution, 1681
— metabolism and chloroplast structure in chlorophyll-deficient tobacco mutants, 563
— stimulation of active transport in *Hydrodictyon africanum*, 1627
Light-adapted wolf spider eyes, nonlinear model for transient responses, 1993
— wolf spider eyes, nonlinear transient responses to changes in background illumination, 1961
Limulus polyphemus, electroretinogram characteristics and spectral mechanisms of median ocellus and lateral eye, 2267
— screening pigment, density spectrum, 1075
Lipid membranes, thin, effect of valinomycin on ionic permeability, 2527
— membranes, thin, from HK and LK sheep red cell lipids, formation and properties, 1729
— membranes, thin, water permeability, 1765
Liver, rat, in vivo effect of uncoupling agents on incorporation of calcium and strontium into mitochondria and other subcellular fractions, 1849
Lobster axon, effects of some inhibitors on temperature-dependent component of resting potential, 1835
— axon membrane, ionic conductance changes when lanthanum is substituted for calcium, 461
— and squid giant axons, osmometrically determined characteristics of cell membrane, 423
Luminescence emitted by *Noctiluca*, wave form, 2211

M

Mach band type lateral inhibition in different sense organs, 519
Macromolecules, fibrous, molecular mechanisms of contractility, Suppl., p. 29
Magnesium, calcium, and potassium, interaction with fragmented sarcoplasmic reticulum isolated from rabbit skeletal muscle, effects of ATP, 1327
— and manganese, discrimination between, by serum proteins, 2255
Mammalian skeletal muscle, active state, 2239
Man, cultured cells, factors influencing glucose flux and effect of insulin, 1663
—, erythrocytes and hemoglobin solutions, nonsolvent water, 2547
—, erythrocytes, nonsolvent water, 1311
—, erythrocytes, resolution of pump and leak components of sodium and potassium ion transport, 1201
—, red blood cells in vivo, entry of sodium into, 75
—, red blood cells, role of membrane phosphoglycerate kinase in control of glycolytic rate by active cation transport, 893
—, red blood cells, sodium concentration, 61
—, red cell water permeability, effect of unstirred layer, 1377
Manganese and magnesium, discrimination between, by serum proteins, 2255
Membrane, barnacle muscle fiber, surface density of calcium ions and calcium spikes, 583
— cell, is it universal rate-limiting barrier to movement of water between living cell and its surrounding medium? 1807
—, cell, of squid and lobster giant axons,

osmometrically determined characteristics, 423
Membrane, lobster axon, ionic conductance changes when lanthanum is substituted for calcium, 461
—, olfactory receptive, anion permeability, 473
— permeability and contraction of intestinal smooth muscle, acetylcholine and calcium, 1157
— phosphoglycerate kinase, role in control of glycolytic rate by active cation transport in human red blood cells, 893
— potential and external potassium concentration, tracer and nontracer potassium fluxes in squid giant axons and effects of changes in, 533
— potential of atrioventricular fibers of toad, effects of external sodium and potassium concentration, 243
— potential, pacemaker generation, and critical firing threshold in *Aplysia* neurons, temperature effects, 1469
— properties of presynaptic fiber of squid giant synapse, correlation of transmitter release with, 2579
— system, internal, in activation of frog skeletal muscle, depolarization, 1101
— transport properties and cytodifferentiation in LK sheep red cells, 379
— uncoupling, junctional, permeability transformations at cell membrane junction, 1865
Membranes, red cell, of dog, cat, and beef, permeability studies, 2391
—, thin lipid, effect of valinomycin on ionic permeability, 2527
—, thin lipid, from HK and LK sheep red cell lipids, formation and properties, 1729
—, thin lipid, water permeability, 1765
Metabolism, cation, in relation to cell size in synchronously grown tissue culture cell, 917
—, light, and chloroplast structure in chlorophyll-deficient tobacco mutants, 563
—, oxidative and glycolytic recovery, in muscle, fluorometric observations on their relative contributions, 1009
Micropolarographic method, oxygen consumption rate of tissue measured by, 317
Microscope, electron, and X-ray diffraction studies of striated muscle, Suppl., p. 71
Mitochondria, osmotic properties, 1547
— and other subcellular fractions of rat liver, in vivo effect of uncoupling agents on incorporation of calcium and strontium into, 1849
Mitotic spindle fibers and their role in chromosome movement, cell motility by labile association of molecules, Suppl., p. 259
Molecular configuration applied to aqueous pore transport, new approach, 2565
— mechanisms of contractility in fibrous macromolecules, Suppl., p. 29
Molecules, cell motility by labile association, nature of mitotic spindle fibers and their role in chromosome movement, Suppl., p. 259
Molluscan muscle, regulation of catch, Suppl., p. 157
— neurons, spike "positive" afterpotential generated by two different ionic mechanisms, 1183
Monosaccharides in Ehrlich ascites tumor cell, evidence for carrier-mediated transport, 1907
Mucosal border of intestine, kinetic relations of sodium–amino acid interaction, 1261
— border of rabbit ileum, alanine and sodium fluxes, 1241
Muscle activation, frog skeletal, depolarization of internal membrane system, 1101
—, amphibian, determination of extracellular space, 1459
—, cardiac, isometric contraction, mechanochemistry, 951
— cells, smooth, of guinea pig vas deferens at rest and during transmission, effect of intracellular current pulses, 2459
— contractility, cardiac, regulation, Suppl., p. 185
— contraction, enhanced permeability to sugar associated with, role of calcium, 551
— contraction in length region, $l \leq l_0$, validity of force-velocity relation, 1125
—, contraction of intestinal smooth, and membrane permeability, acetylcholine and calcium, 1157
—, dog ventricular, sodium exchange, relation to frequency of contraction and its possible role in control of myocardial contractility, 1221
— fiber membrane, barnacle, surface den-

sity of calcium ions and calcium spikes, 583
Muscle fibers, frog striated, in hypertonic solutions, caffeine- and potassium-induced contractures, 129
— fibers in rabbit ventricle, electrotonic interaction, 189
— fibers, procaine-treated crayfish abdominal, permeability changes associated with action potential, 1049
— fibers, single crab, equivalent circuit as determined by impedance measurements with intracellular electrodes, 1785
— fibers, single crayfish, mode of transverse spread of contraction initiated by local activation, 2145
— fibers, single, effects of external calcium deprivation, 2177
— fibers, single frog, mode of transverse spread of contraction initiated by local activation, 2167
— fibers, single twitch, calcium fluxes, 255
— fibers, skeletal, effect of low ionic strength extracellular solutions on resting potential, 1485
— fibers, striated, relations between changes in linear electrical properties and changes in ultrastructure, 2437
—, frog, influence of ionic strength on potassium contractures and calcium movements, 883
—, frog sartorius, quinine and caffeine effects on ^{45}calcium movements, 2109
—, frog toe, effect of pH on mechanical activity, 863
—, heart, active state, delayed onset and modification by inotropic agents, 661
—, insect fibrillar, evidence about elementary contractile process, Suppl., p. 139
—, intercostal, from normal goats and goats with hereditary myotonia, sodium, potassium, and chloride fluxes, 89
—, kidney, and brain, and by actomyosin, nuclear magnetic resonance evidence for complexing of sodium, 1353
—, mammalian skeletal, active state, 2239
—, molluscan, regulation of catch, Suppl., p. 157
— of frog stomach, smooth, cation regulation, 1517
—, oxidative and glycolytic recovery metabolism, fluorometric observations on their relative contributions, 1009
—, rabbit skeletal, effects of ATP on interaction of calcium, magnesium, and potassium with fragmented sarcoplasmic reticulum isolated from, 1327
Muscle shortening, speed, ATPase activity of myosin correlated with, Suppl., p. 197
—, skeletal, nickel substitution for calcium in excitation-contraction coupling, 1709
—, striated, X-ray diffraction and electron microscope studies, Suppl., p. 71
— tissues, voluntary, extracellular space, 677
Muscles, cat extraocular, electrical and mechanical responses of slow fibers, 2289
—, *Rana pipiens* sartorius, theoretical series elastic element length, 1139
—, smooth and striated, variations of contractile apparatus, X-ray diffraction studies at rest and in contraction, Suppl., p. 171
Mutants, chlorophyll-deficient tobacco, light metabolism and chloroplast structure, 563
Mutation rate, increased, of *Escherichia coli* K12λ cultures maintained in continuous logarithmic growth, 369
Myocardial contractility, relation of sodium exchange in dog ventricular muscle to frequency of contraction and possible role in control of, 1221
Myosin, ATPase activity, correlated with speed of muscle shortening, Suppl., p. 197
—, subunits and their interactions, Suppl., p. 85
Myotonia, hereditary, sodium, potassium, and chloride fluxes in intercostal muscle from normal goats and goats with, 89

N

Nephron, rabbit, in vivo, action of pitressin on solute permeability, 1
Nerve, peripheral, effect of ions on efflux of acetylcholine from, 447
—, selective inhibition of delayed potassium currents by tetraethylammonium ion, 1287
Nervous system, central, of surf clam, compound postsynaptic potentials, 759
Neurons, *Aplysia*, temperature effects on pacemaker generation, membrane potential, and critical firing threshold, 1469
—, molluscan, spike "positive" afterpotential generated by two different ionic mechanisms, 1183
—, pacemaker, in heart ganglion of stoma-

topod, *Squilla oratoria*, electrical properties, 813
Nickel substitution for calcium in excitation-contraction coupling of skeletal muscle, 1709
Noctiluca miliaris, subcellular origin of bioluminescence, 1429
—, wave form of luminescence emitted by, 2211
Nuclear magnetic resonance evidence for complexing of sodium in muscle, kidney, and brain, and by actomyosin, 1353
Nucleotide, pyridine, reduction in giant axon of squid, fluorometric measurement, 2603

O

Ocellus, median, and lateral eye in *Limulus polyphemus*, electroretinogram characteristics and spectral mechanisms, 2267
Odorants at level of olfactory receptor sheet, spatiotemporal analysis, 25
Olfactory receptive membrane, anion permeability, 473
— receptor sheet, spatiotemporal analysis of odorants at level of, 25
Ouabain and acetylcholine effects, sodium, potassium, and chloride content of goose salt gland slices, 2197
Oxidative and glycolytic recovery metabolism in muscle, fluorometric observations on their relative contributions, 1009
Oxygen consumption rate of tissue measured by micropolarographic method, 317
— poisoning in *Drosophila*, 1693

P

Pacemaker generation, membrane potential, and critical firing threshold in *Aplysia* neurons, temperature effects, 1469
— neurons in heart ganglion of stomatopod, *Squilla oratoria*, electrical properties, 813
— potentials for periodic burst discharge in heart ganglion of stomatopod, *Squilla oratoria*, 839
Paramecium caudatum, binding of calcium ions, 1303
Permeabilities, relative ion, in crayfish giant axon determined from rapid external ion changes, 1929
Permeability, anion, of olfactory receptive membrane, 473
Permeability changes associated with action potential in procaine-treated crayfish abdominal muscle fibers, 1049
—, enhanced, to sugar associated with muscle contraction, role of calcium, 551
—, human red cell water, effect of unstirred layer, 1377
—, ionic, of thin lipid membranes, effect of valinomycin, 2527
—, membrane, and contraction of intestinal smooth muscle, acetylcholine and calcium, 1157
—, passive, of red blood cell to cations, 171
—, sodium and potassium, of HK and LK sheep red cells, effect of valinomycin, 2513
—, solute, of rabbit nephron in vivo, action of pitressin on, 1
— studies on red cell membranes of dog, cat, and beef, 2391
— transformations at cell membrane junction, junctional membrane uncoupling, 1865
—, water, of thin lipid membranes, 1765
Phosphate uptake, potassium requirement, cation transport in *Escherichia coli*, 1641
Phosphatidic acid fraction, formation and continuous turnover, and stimulation of sodium chloride secretion by acetylcholine in salt gland, 793
Phosphoglycerate kinase, membrane, role in control of glycolytic rate by active cation transport in human red blood cells, 893
Photosynthesis in *Acetabularia* in presence of actinomycin D, puromycin, and chloramphenicol, circadian rhythm, 647
— in chlorophyll-deficient plants with unusual lamellar structures, quantum requirement, 2131
Phycomyces, absorption and screening, 1893
Pigment, *Limulus* screening, density spectrum, 1075
Pitressin, action on solute permeability of rabbit nephron in vivo, 1
Poisoning, oxygen, in *Drosophila*, 1693
Potassium- and caffeine-induced contractures of frog striated muscle fibers in hypertonic solutions, 129
—, calcium, and magnesium, interaction with fragmented sarcoplasmic reticulum isolated from rabbit skeletal muscle, effects of ATP, 1327
— conductance, decreased, produced by barium in frog sartorius fibers, 1565
— contractures and calcium movements in

frog muscle, influence of ionic strength, 883
Potassium currents, delayed, in nerve, selective inhibition by tetraethylammonium ion, 1287
—, effect on intestinal transport of glucose, 113
— and external sodium concentration, effects on membrane potential of atrioventricular fibers of toad, 243
— negative resistance, removal in perfused squid giant axons, 1499
— requirement for phosphate uptake, cation transport in *Escherichia coli*, 1641
—, sodium, and chloride content of goose salt gland slices and effects of acetylcholine and ouabain, 2197
—, sodium, and chloride fluxes in intercostal muscle from normal goats and goats with hereditary myotonia, 89
— and sodium currents in squid giant axon, voltage clamp studies on effect of internal cesium ion, 279
— and sodium ion transport in human erythrocytes, resolution of pump and leak components, 1201
— and sodium permeability of HK and LK sheep red cells, effect of valinomycin, 2513
— and sodium, steady-state levels, in HeLa cell, role of calcium in regulation, 781
—, tracer and nontracer, fluxes in squid giant axons and effects of changes in external potassium concentration and membrane potential, 533
Procaine and tetrodotoxin, comparison in internally perfused squid giant axons, 1413
Procaine-treated crayfish abdominal muscle fibers, permeability changes associated with action potential, 1049
Protein, contractile, reactivities of actin, Suppl., p. 119
Proteins, serum, discrimination between magnesium and manganese, 2255
Puromycin, actinomycin D, and chloramphenicol, circadian rhythm in photosynthesis in *Acetabularia* in presence of, 647
Pyridine nucleotide reduction in giant axon of squid, fluorometric measurement, 2603

Q

Quantum requirement for photosynthesis in chlorophyll-deficient plants with unusual lamellar structures, 2131
Quinine and caffeine effects on ^{45}calcium movements in frog sartorius muscle, 2109

R

Radioactive, ^{45}calcium movements in frog sartorius muscle, quinine and caffeine effects, 2109
—, ^{134}cesium sulfate solutions, long duration responses in squid giant axons injected with, 269
Rana pipiens sartorius muscles, theoretical series elastic element length, 1139
Receptive membrane, olfactory, anion permeability, 473
Resistance, potassium negative, removal in perfused squid giant axons, 1499
Reticulum, cardiac sarcoplasmic, ion effects on calcium accumulation, 2085
—, fragmented sarcoplasmic, isolated from rabbit skeletal muscle, effects of ATP on interaction of calcium, magnesium, and potassium with, 1327
Retina, isolated, of frog, effects of cardiac glycosides on electrical activity, 1585
Ringer's fluid, ability of isolated frog skin to manufacture, 2377
Roentgen ray diffraction and electron microscope studies of striated muscle, Suppl., p. 71
— ray diffraction studies at rest and in contraction, variations of contractile apparatus in smooth and striated muscles, Suppl., p. 171
Roots, barley, cation effects on chloride fluxes and accumulation levels, 225

S

Salt gland slices, goose, and effects of acetylcholine and ouabain, sodium, potassium, and chloride content, 2197
— gland, stimulation of sodium chloride by acetylcholine, and formation and continuous turnover of fraction of phosphatidic acid, 793
— receptor of blowfly, stimulation, 337, 351, 359
— and water, phenomenological description of active transport, 729
— and water transport across isolated rat ileum, evidence for at least two distinct pathways, 695
Saltatory particle movement, structural aspects, Suppl., p. 223
Sarcoplasmic reticulum, cardiac, ion effects on calcium accumulation, 2085

Sarcoplasmic reticulum, fragmented, isolated from rabbit skeletal muscle, effects of ATP on interaction of calcium, magnesium, and potassium with, 1327
Sense organs, different, Mach band type lateral inhibition, 519
Serum proteins, discrimination between magnesium and manganese, 2255
Sheep, HK and LK, red cell lipids, formation and properties of thin lipid membranes, 1729
—, HK and LK, red cells, effect of valinomycin on potassium and sodium permeability, 2513
— red cells, LK, cytodifferentiation and membrane transport properties, 379
Shortening, muscle, ATPase activity of myosin correlated with speed of, Suppl., p. 197
Skate heart, effect of high sodium concentration on action potential, 505
Skin, frog, hyperosmolarity and net transport of nonelectrolytes, 933
—, isolated frog, ability to manufacture Ringer's fluid, 2377
Sodium and alanine fluxes across mucosal border of rabbit ileum, 1241
Sodium–amino acid interaction at mucosal border of intestine, kinetic relations, 1261
Sodium, cellular complexing, relation to water structure and transport kinetics, 1353
— and chloride, energetics of coupled active transport, 295
— chloride secretion, stimulation by acetylcholine in salt gland, and formation and continuous turnover of fraction of phosphatidic acid, 793
— chloride stimulation of salt receptor of blowfly, 337
— complexing in muscle, kidney, and brain, and by actomyosin, nuclear magnetic resonance evidence, 1353
— concentration, high, effect on action potential of skate heart, 505
— concentration in human red blood cells, 61
—, entry into human red blood cells in vivo, 75
— erythrocyte, high, of cat, cation movements, 1751
— exchange in dog ventricular muscle, relation to frequency of contraction and its possible role in control of myocardial contractility, 1221
Sodium, external, and potassium concentration, effects on membrane potential of atrioventricular fibers of toad, 243
— extrusion by internally dialyzed squid axons, 2303
— extrusion by internally dialyzed squid axons, factors influencing, 2333
— fluxes and nonelectrolyte penetration through axolemma of resting and stimulated medium sized axons of squid *Doryteuthis plei*, 43
—, potassium, and chloride content of goose salt gland slices and effects of acetylcholine and ouabain, 2197
—, potassium, and chloride fluxes in intercostal muscle from normal goats and goats with hereditary myotonia, 89
— and potassium currents in squid giant axon, voltage clamp studies on effect of internal cesium ion, 279
— and potassium ion transport in human erythrocytes, resolution of pump and leak components, 1201
— and potassium permeability of HK and LK sheep red cells, effect of valinomycin, 2513
— and potassium, steady-state levels, in HeLa cell, role of calcium in regulation, 781
Sodium-sensitive transport of neutral amino acids in Ehrlich cell, discrimination of single transport systems, 203
Spectral distribution of firefly light, 1681
— mechanisms and electroretinogram characteristics of median ocellus and lateral eye in *Limulus polyphemus*, 2267
Spectrum, density, of *Limulus* screening pigment, 1075
Spider eyes, light-adapted wolf, nonlinear model for transient responses, 1993
— eyes, light-adapted wolf, nonlinear transient responses to changes in background illumination, 1961
Squid axons, blockage, basis of tetrodotoxin's selectivity, 1401
— axons, internally dialyzed, factors influencing sodium extrusion, 2333
— axons, internally dialyzed, sodium extrusion, 2303
— axons, internally perfused, effect of specific antibodies on excitability, 2407
—, *Doryteuthis plei*, nonelectrolyte penetration and sodium fluxes through axolemma

of resting and stimulated medium sized axons of, 43
Squid giant axon, fluorometric measurement of pyridine nucleotide reduction, 2603
— giant axon, voltage clamp studies on effect of internal cesium ion on sodium and potassium currents, 279
— giant axons, cation interdiffusion, 989
— giant axons injected with ^{134}cesium sulfate solutions, long duration responses, 269
— giant axons, internally perfused, comparison of tetrodotoxin and procaine, 1413
— giant axons, perfused, removal of potassium negative resistance, 1499
— giant axons, time course of tetraethylammonium chloride–induced anomalous rectification, 491
— giant axons, tracer and nontracer potassium fluxes and effects of changes in external potassium concentration and membrane potential, 533
— giant synapse presynaptic fiber, membrane properties, correlation of transmitter release, 2579
— and lobster giant axons, osmometrically determined characteristics of cell membrane, 423
Squilla oratoria, electrical properties of pacemaker neurons in heart ganglion, 813
— *oratoria*, pacemaker potentials for periodic burst discharge in heart ganglion, 839
Stomach, frog, cation regulation in smooth muscle, 1517
Stomatopod, *Squilla oratoria*, electrical properties of pacemaker neurons in heart ganglion, 813
—, *Squilla oratoria*, pacemaker potentials for periodic burst discharge in heart ganglion, 839
Strontium and calcium, in vivo effect of uncoupling agents on incorporation into mitochondria and other subcellular fractions of rat liver, 1849
Sugar, enhanced permeability associated with muscle contraction, role of calcium, 551
Surf clam, compound postsynaptic potentials in central nervous system, 759
Synapse, squid giant, presynaptic fiber, membrane properties, correlation of transmitter release, 2579

T

Teleosts, exchange diffusion effect and euryhalinity, 391
Tetraethylammonium chloride–induced anomalous rectification in squid giant axons, time course, 491
— ion, selective inhibition of delayed potassium currents in nerve by, 1287
Tetrodotoxin and procaine, comparison in internally perfused squid giant axons, 1413
Tetrodotoxin's selectivity in blockage of squid axons, 1401
Tissue culture cell, synchronously grown, cation metabolism in relation to cell size, 917
—, oxygen consumption rate measured by micropolarographic method, 317
Tissues, voluntary muscle, extracellular space, 677
Toad, effects of external sodium and potassium concentration on membrane potential of atrioventricular fibers, 243
Tobacco mutants, chlorophyll-deficient, light metabolism and chloroplast structure, 563
Tracer and nontracer potassium fluxes in squid giant axons and effects of changes in external potassium concentration and membrane potential, 533
Tumor cell, Ehrlich ascites, evidence for carrier-mediated transport of monosaccharides, 1907
Tunicate heart, conduction velocity and intracellular action potentials, 2097

V

Valinomycin, effect on ionic permeability of thin lipid membranes, 2527
—, effect on potassium and sodium permeability of HK and LK sheep red cells, 2513
Valonia ventricosa, ion fluxes and short-circuit current in internally perfused cells, 1821
Vas deferens of guinea pig at rest and during transmission, effect of intracellular current pulses in smooth muscle cells, 2459
Ventricle, rabbit, electrotonic interaction between muscle fibers, 189
Voltage clamp studies on effect of internal cesium ion on sodium and potassium currents in squid giant axon, 279

W

Water coupling mechanism and solute transport in epithelia, standing-gradient osmotic flow, 2061
— movement between living cell and its surrounding medium, is cell membrane universal rate-limiting barrier? 1807
—, nonsolvent, in human erythrocytes, 1311
—, nonsolvent, in human erythrocytes and hemoglobin solutions, 2547
— permeability, human red cell, effect of unstirred layer, 1377
— permeability of thin lipid membranes, 1765
Water and salt, phenomenological description of active transport, 729
— and salt transport across isolated rat ileum. evidence for at least two distinct pathways, 695
— structure and transport kinetics, relation of cellular complexing of sodium, 1353

X

X-ray. *See* Roentgen ray.

Y

Yeast cell surface, β-glucosidase of, 9
—, discrimination between alkali metal cations, cation interactions in transport, 967

REFERENCE